

091 899798 COFC

Knobbe Martens Olson & Bear LLP

Intellectual Property Law

2040 Main Street
Fourteenth Floor
Irvine, CA 92614
Tel 949-760-0404
Fax 949-760-9502
www.kmob.com



Nira M. Brand
Patent Scientist

October 17, 2006

Certificate

OCT 26 2006

of Correction

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: Title: METHODS AND APPARATUSES FOR SYNCHRONIZING MIXED-MEDIA DATA FILES
Letters Patent No. 7,096,416
Issued: August 22, 2006
Our Reference: HAYSCHR.002A

Dear Sir:

Enclosed for filing is a Certificate of Correction in connection with the above-identified patent. In response to the Notice Regarding Drawings mailed on June 29, 2006, fourteen sheet of replacement drawings were submitted by the Applicant on August 1, 2006. The replacement drawings were received by the U.S.P.T.O. on August 7, 2006; however, the replacement drawings were not used in the issued patent.

As the errors cited in the Certificate of Correction were incurred through the fault of the Patent Office, no fee is believed to be required. However, please charge our Deposit Account No. 11-1410 for any fees that may be incurred with this request.

Respectfully submitted,

Knobbe, Martens, Olson & Bear, LLP

Nira Brand
Registration No. 52,648
Customer No. 20,995

Enclosures

cc: Adeel S. Akhtar
3026508:smn
101706

OCT 27 2006

San Diego
619-235-8550

San Francisco
415-954-4114

Los Angeles
310-551-3450

Riverside
951-781-9231

San Luis Obispo
805-547-5580

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,096,416
APPLICATION NO. : 09/699,798
ISSUE DATE : August 22, 2006
INVENTOR(S) : Smith, et al.

Page 1 of 1

It is certified that errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Attached are the 14 sheets of replacement drawings as filed on August 1, 2006, which should have been incorporated into the issued patent grant.


3026530
101706

MAILING ADDRESS OF SENDER:

Nira Brand
KNOBBE, MARTENS, OLSON & BEAR, LLP
2040 Main Street, 14th Floor
Irvine, California 92614

DOCKET NO. HAYSCHR.002A

OCT 27 2006



OCT 27 2006. FIG. 1

2/14




FIG. 2

OCT 27 2006

3/14




FIG. 3

OCT 27 2006



5/14




FIG. 5A

OCT 27 2006

6/14




FIG. 5B

OCT 27 2006

7/14




FIG. 6A

OCT 27 2006

8/14





FIG. 6B

OCT 27 2006

9/14



OCT 27 2006

10/14




FIG. 8

OCT 27 2006

11/14




FIG. 9

OCT 27 2008

12/14




FIG. 10

OCT 27 2006

13/14




FIG. 11

OCT 27 2006

14/14




FIG. 12

OCT 27 2006

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.